QUESTIONS & ANSWERS

Kill your exam at first Attempt





Enterasys

2B0-102

Enterasys Security Systems Engineer-Defense

- C. Network Sensor
- D. Alarm Tool

Answer: D

OUESTION: 38

The Enable follow on signature check box

- A. Enables dynamic packet collection
- B. Enables combination signatures
- C. Enables macro signatures
- D. Applies signature to dynamically collected traffic

Answer: D

QUESTION: 39

Before the host Sensor can be deployed AIt must be associated with a virtual sensor

- A. It must be associated with a host policy
- B. Its key must be added to the /usr/dragon/bin directory
- C. Its address must be added to /etc/hosts

Answer: A

QUESTION: 40 MD5 checksums are

- A. Stored in a protected directory on the host
- B. Appended to the protected file
- C. Passed up the event channel to the MD5 Agent
- D. Stored in the /usr/dragon/bin directory on the Enterprise Management Server (EMS)

Answer: C

QUESTION: 41

Thresholds can be set to

A. Reduce false positives

- B. Turn alarming on and off
- C. Limit the number of events seen by Alarm Tool
- D. Limit the number of sensors sending events

Answer: A

QUESTION: 42

The default event channel port is?

- A. 9111
- B. 9112
- C. 9113
- D. 9114

Answer: B

QUESTION: 43

Virtual Sensors can segregate traffic by?

- A. IP Address, VLAN, Port
- B. IP Address, VLAN, Port, Protocol
- C. IP Address, VLAN, Port, Protocol, Application
- D. IP Address, VLAN, Port, Application

Answer: B

QUESTION: 44

Right-clicking on an IP address within a Data Mine provides a menu with all but the following option?

- A. Nessus Scan
- B. DNS Lookup
- C. Asset Profile
- D. Port Scan

Answer: A

QUESTION: 45

Master Network Libraries

- A. Cannot be directly associated with sensors
- B. Cannot be directly associated with virtual sensors
- C. Can be directly associated with virtual sensors
- D. Can be modified

Answer: C

KILL EXAMS

KILLEXAMS.COM

For More exams visit https://killexams.com -



KILLEXAMS.COM

Kill your exam at First Attempt....Guaranteed!