

QUESTIONS & ANSWERS

Kill your exam at first Attempt



Cisco

700-501

SMB Specialization for Engineers

the access point farther away so that their coverage areas do not overlap. For example, in 802.11b/g, network channels 1, 6, and 11 are non-overlapping channels.

Reference:

http://www.cisco.com/en/US/products/ps6366/products_tech_note09186a00809d45a2.shtml

QUESTION: 40

Which two characteristics describe a successful mobility installation? (Choose two.)

- A. Cisco Telepresence EX90 JS
- B. Grow-as-you-go deployment
- C. Access to information by any user, from any location, from any device
- D. SMARTnet on every device

Answer: B, C

QUESTION: 41

Which three decision makers should you focus on when proposing Cisco architectural solutions? (Choose three.)

- A. Individual contributors
- B. Operations managers
- C. Purchasing officers
- D. Technical decision makers
- E. Business decision makers

Answer: A, D, E

QUESTION: 42

Which three competitive advantages does the Cisco Unified Computing System provide? (Choose three.)

- A. Ease of planning via the CSIM capacity modeling tool
- B. Supports only rack server models to reduce cost
- C. Greater virtual desktop density without performance impact
- D. Supports only blade server models to reduce system complexity
- E. Lower cost for compute plus network infrastructure
- F. Simple operation; start in minutes, scale in seconds

Answer: C, E, F

Explanation:

Benefits of UCS:

- Lower cost for compute + network infrastructure
- Greater virtual desktop density without performance impact
- Simple Operation—start in minutes, scale in seconds
- Massive Scalability—scales easily to 1000's of desktops per UCS system
- Extended memory and I/O to avoid desktop virtualization bottlenecks

Reference:

<http://www.cisco.com/assets/events/i/citrix-post-ucs-evolution.pdf> slide 3.

QUESTION: 43

Which two customer characteristics indicate an opportunity for Cisco Meraki cloud-managed networks? (Choose two.)

- A. Moving applications to the cloud
- B. Having distributed sites and a lean IT staff
- C. Requiring a high degree of flexibility and customization
- D. Having networking experts on site
- E. Implementing data center or large campus deployments

Answer: A, B

QUESTION: 44

Which two benefits are delivered by Cisco Telepresence? (Choose two.)

- A. Collaboration Experience is integrated.
- B. Large files can be delivered between locations.
- C. User experiences are unified.
- D. Any endpoint can be used

Answer: A, C

QUESTION: 45

Which option describes server virtualization?

- A. Consolidation of multiple server workloads onto a smaller number of more powerful servers
- B. The aggregation of server workloads onto a smaller number of servers by running multiple server operating systems directly on the shared hardware
- C. Reduction of on-premises server requirements through the elimination of low utilization servers and the transition to a SaaS solution
- D. Consolidation of multiple server interface cards into a single network card that supports a large number of virtual interfaces

Answer: B

QUESTION: 46

When LAN connectivity is designed which option increases high availability and minimizes network administration?

- A. integrated switch in WAN router
- B. stacked switch design
- C. multiple switch design
- D. single external switch design

Answer: B

QUESTION: 47

Which three switching technology components distinguish Cisco from competing products? (Choose three.)

- A. Gigabit Ethernet
- B. Flexible NetFlow
- C. Medianet
- D. Universal PoE
- E. RSTP 802.1w
- F. Multiprotocol Label Switching

Answer: B, C, D

QUESTION: 48

Which best practice should be used to calculate PoE requirements for Cisco collaboration endpoints?

- A. Attach all endpoints first and then use a power reporting tool to document the power requirements.
- B. Assume that all ports with PoE endpoints attached will require 7 watts.
- C. Assume that all ports will require 15.4 watts regardless of attached endpoints.
- D. Select the endpoint device that requires the most power and assume that all endpoint devices will require the same amount.
- E. Determine the power requirements of each of your endpoints and plan to support that amount.

Answer: C

QUESTION: 49

Which option is a function of the Cisco Multi-Gigabit Fabric in a Cisco ISR router?

- A. Provides connectivity between Cisco EHWIC, PVDM3, SM, and ISM modules through the backplane
- B. Provides connectivity only to the Cisco EHWIC modules
- C. Provides connectivity to the Cisco Nexus fabric switch through the uplink
- D. Provides connectivity to legacy interface modules
- E. Provides connectivity to the Cisco Enhanced EtherSwitch Service Module uplink ports

Answer: A

QUESTION: 50

Which three customer challenges do Cisco architectures help to solve? (Choose three.)

- A. Increase ROI
- B. Reduce independence
- C. Provide creative solutions
- D. Lower costs
- E. Boost productivity

Answer: A, C, E

For More exams visit <http://killexams.com> -



KILLEXAMS.COM

Kill your exam at First Attempt....Guaranteed!