Nortel

920-544

Carrier VoIP Integrated Element Mgmt System (IEMS) Ops

A. the main display
B. the topology tree
C. the alarms count panel
D. the Navigation menu option

Answer: B

QUESTION: 36
What is the recommended maximum number of client sessions supported on the IEMS server?

A. 16
B. 32
C. 64
D. 128

Answer: C

QUESTION: 37
Which portion of the file below is the user configured report name? STORM.192.168.110.136-STORM.OMs.qos.2006.04.05_14.45_IST.xml

A. qos
B. OMs
C. STORM
D. 192.168.110.136-STORM

Answer: A

QUESTION: 38
What is the function of a rearm value when defining a statistical threshold?

A. It defines when a threshold is in a critical severity state.
B. It defines when a normal performance threshold is violated.
C. It defines when a violated performance threshold returns to normal.
D. It defines when a performance threshold is in a minor severity state.

Answer: C

QUESTION: 39
Which two are characteristics of performance templates? (Choose two.)

A. They are device specific XML files.
B. They must be associated with collection jobs.
C. They contain a list of devices from which data may be collected.
D. They define the method by which data will be collected, stored, and transferred.

Answer: A, B

QUESTION: 40
Which job is responsible for placing a compressed performance data file is the IEMS server file system?

A. the transfer job
B. the reporting job
C. the collection job
D. no data is stored in compressed format

Answer: B

Kill your exam at First Attempt....Guaranteed!