QUESTIONS & ANSWERS

Kill your exam at first Attempt





IBM

C2090-645

IBM Cognos 10 BI Multidimensional Author

QUESTION: 47

What functionality will allow the report consumer to focus the report each time it is run?

- A. Filter a MUN
- B. Use a prompt
- C. Build a slicer
- D. Use a dimensional function

Answer: B

QUESTION: 48

The "Sales" and "Inventory" data stores each have "Products" and "Time" dimensions. For drill-through between the data stores on the "Products" and "Time" dimensions to work, which items in the structures must be identical in the data stores?

- A. Hierarchy names, member values
- B. Level order, level names
- C. Hierarchy names, snowflake schema
- D. Role value, internal keys

Answer: B

QUESTION: 49

In a crosstab report, the report author wants a column to display a percentage of overall revenue that a particular product contributed to.

Revenue	2004	2005	2006	2007
Star Lite	34,678,132.92	44,968,936.11	52,517,671.08	36,026,810.37
Star Dome	18,655,898.74	23,826,752.77	28,721,600.42	20,922,292.17
Star Gazer 2	30,868,091.85	38, 190, 959.73	46,895,494.80	31,828,582.50
Star Gazer 3	17,119,586.61	21,159,359.68	26,727,987.52	18,007,175.68
Star Gazer 6	6,837,403.18	8,430,270.95	10,663,457.48	7,022,218.14
Star Peg	867,031.94	1,094,002.62	1,324,840.70	867,170.06

Which of the following is a valid dimensional expression for this purpose?

- A. tuple([Revenue]/[Products]*[Revenue])
- B. [Revenue]/([Revenue]*[Products])
- C. [Revenue],[Products])
- D. [Revenue]/total([Revenue]for[Products])

Answer: C

QUESTION: 50


The report author wants to create a report to compare the sales of product types for special sales promotions in 2005 and 2006, but the report will exclude regular sales. Which style of authoring and which function will the report author use to create this report from a cube data source?

- A. Relational authoring style, except function
- B. Dimensional authoring style, filter function
- C. Dimensional authoring style, except function
- D. Relational authoring style, filter function

Answer: C

QUESTION: 51

The dialog box shown appears when a report is run.



What should the report author do to correct the situation?

- A. Ask the modeler to rename the hierarchy to
- '[sales_and_marketing].[Products].[Products].[Products]', and to republish the package.
- B. Modify the expression to change the 'currentMember' function to 'currentLevel'.
- C. Modify the expression to change the 'currentMember' function to 'currentHierarchy'.
- D. Modify the expression to

'currentMember([sales_and_marketing].[Products])'.

Answer: D

QUESTION: 52

Which of the following statements is true about a slicer?

- A. It keeps the summary column in the report, and removes the detail columns.
- B. It affects the values of the cells of the report but not the rows or columns.
- C. It determines which set of members are displayed on the edges of the report.
- D. It removes all blank rows in the report to make it more focused.

Answer: B

QUESTION: 53

Assuming that Star products and Husky products are sets,

Revenue		2006	
Tents	Star Peg	1,324,840.70	
	Star Dome	28,721,600.42	
	Star Lite	52,517,671.08	
Rope	Husky Rope 60	5,635,713.50	
	Husky Rope 50	8,887,288.00	
	Husky Rope 100	17,671,847.80	

which statement below is correct about the sets in the graphic?

- A. Each set is a grouping of members from different hierarchies.
- B. The report creates a query for each member of the set.
- C. The query displays each set as all the members of the level.
- D. Each set can be sorted and aggregated.

Answer: D

QUESTION: 54

In a crosstab, Campaign is in the rows area, Order method type is in the columns area, and Quantity is the measure. Campaign and Order method type are specified in the query. The report runs, displaying quantity values for all years. Why does this happen?

- A. The dimension member from that dimension is implied.
- B. The order method member from that dimension is implied.
- C. The aggregate member from that dimension is implied.
- D. The default member from that dimension is implied.

Answer: D

QUESTION: 55

The report author creates a query where two items (TopThree and Retailer country) exist in the same member set. The expression for TopThree is: topCount([Retailer country],3,[Revenue]).

Revenue	<#2007#>	Revenue	2007
<#TopThree#:	<#1234#>	Consumer Club	4,602,568.55
<#TopThree#:	<#1234#>	Mega-Outlet	353, 436.58
Retailer country MS		Sporting Goods Direct	5,475.45
		Extreme Outdoors	18, 152, 469.03
— □ lop	Three MS	Husky Outfitters	593,648.45
Revenue	2007	The Sports Factory	2,226,271.54
United States	191,312,080.13	The Marketplace	6,316,354.84
<u>Japan</u>	83,188,254.16	Hartman's	2,457,201.09
<u>China</u>	70,633,377.06	Sport Basement	617,959.75

What drill behavior should the report author set in order to display the top three children instead of all children on drill down?

- A. Configure TopThree to Change Expression, and configure Retailer country to Preserve.
- B. Configure TopThree to Preserve, and configure Retailer country to Preserve.
- C. Configure TopThree to Preserve, and configure Retailer country to Replace Expression.
- D. Configure TopThree to Ancestor, and configure Retailer country to Change

Expression.

Answer: C

QUESTION: 56

A report author can use a slicer to do what?

- A. Make the report database smaller and efficient
- B. Provide context to intersection values
- C. Reduce the number of members on the edge of the crosstab.
- D. Generate a zero suppression filter in the rows

Answer: B

QUESTION: 57

Which term below best describes the selected cell in the crosstab?

Revenue	2004	2005	2006
Camping Equipment	332,986,338.06	402,757,573.17	500,382,422.83
Personal Accessories	391,647,093.61	456,323,355.90	594,009,408.42
Outdoor Protection	36,165,521.07	25,008,574.08	10,349,175.84

- A. Level
- B. member
- C. Tuple
- D. Revenue

Answer: C

For More exams visit https://killexams.com -



KILLEXAMS.COM

Kill your exam at First Attempt....Guaranteed!