Foundry

FN0-100

Foundry Networks CNE

QUESTION: 72

Which of the following cannot authenticate access to a Foundry device using TACACS/TACACS+?

A. telnet
B. SSH
C. SNMP
D. Web management

Answer: C

QUESTION: 73

What is the valid range of administrative distance values?

A. 1-255
B. 0-255
C. 1-256
D. 1-128

Answer: B

QUESTION: 74

How many bits are there in a TCP sequence number?

A. 4
B. 8

C. 16
D. 32

Answer: D

QUESTION: 75
Which of the following server states indicates that the real server has passed all applicable health checks?

A. enabled
B. pass
C. active
D. server on

Answer: C

QUESTION: 76
Regarding a global IP/route health injection configuration, which of the following is not necessary to configure Foundry Layer 3 Switches to perform the HTTP health check for a web site and to manage a static host route for the IP address?

A. Identify the web site IP address on the Layer 3 Switch. Identify the web site? IP address on the Layer 3 Switch.
B. Configure the Layer 3 Switch to block advertisement of the network on the interface.
C. Configure the port that connects the Layer 3 Switch to the HTTP application (ServerIron, third-part SLB, or real server) to not advertise the network route for the IP sub-net the ServerIron, third-parth SLB, or real server and the port are on.
D. Enable the HTTP keepalive (health check)

Answer: B

QUESTION: 77
Which ServerIron command binds real server s1 to virtual server ip1 with HTTP? Which ServerIron command binds real server s1 to virtual server ip1 with HTTP?

A. server virtual-name vip1 10.1.1.1 port http bind http rs1 http
B. server virtual-name vip 1 10.1.1.1 bind http rs1 http
C. server virtual-name vip1 10.1.1.1 port http bind rs 1 http
D. server virtual-name vip 1 10.l.1.1 port http rs1 bind vip 1 rs 1

Answer: A

QUESTION: 78
What transport layer protocol provides a connectionless service between hosts?

A. TCP
B. UDP
C. IP
D. ICMP

Answer: B

QUESTION: 79
What ServerIron CLI command enables FWLB for TCP.

A. ip policy 1 fw tcp 1 global
B. server fw-port 5
C. ip-policy 1 fw udp 1 global
D. ip-policy 1 fw tcp 0 global

Answer: D

QUESTION: 80
What functionality consists of directing HTTP requests to a server group based on information embedded in a cookie in the HTTP header.

A. switchback
B. SSL session ID switching
C. cookie switching
D. transparent cache switching

Answer: C

QUESTION: 81
Foundry Automatic Protection Switching (APS) feature provides redundancy for what type of link? Foundry? Automatic Protection Switching (APS) feature provides redundancy for what type of link?

A. 1000G
B. 10/100
C. ATM
D. POS

Answer: D

QUESTION: 82
Which of the following statements is true about Foundry STP defaults?

A. disabled on switches
B. enabled on switches
C. disabled on routers
D. both b and c

Answer: D