QUESTIONS & ANSWERS

Kill your exam at first Attempt





HP

HP2-T25

Servicing HP Rack-Tower Server Solutions

Explanation:

http://h18000.www1.hp.com/products/quickspecs/14228_na/14228_na.html (see fault tolerance, 4rd bulleted point and the sub-bulleted point)

QUESTION: 89

An engineer installed an IPDU solution in a rack. While verifying the installation, the engineer discovers that the IPDU firmware is not up to date. Which method should the engineer use to update the IPDU firmware?

- A. Use the HP Power Device Flash utility
- B. Connect a PC to the serial port of the iPDU display module and run the iPDU software update utility
- C. Use the onboard iPDU FTP utility
- D. Use the iPDU embedded web interface through the Setup tab.

Answer: B

QUESTION: 90

Which statement is correct about upgrading ProLiant components?

- A. For DL380p G8. you can populate up to 24 UDIMM memories
- B. Upgrade the server BIOS and firmware before upgrading the CPU
- C. RDIMMs and UDIMMs memory can be mixed as long they are different memory channels
- D. When installing RDIMM memory, you can populate all 24 slots with both processors installed

Answer: D

QUESTION: 91

What should you do if an online firmware flash of the system board fails?

A. Replace the system board because the flash is corrupt

- B. Retry the flash before rebooting the server
- C. Reboot the server, remove power and try again
- D. Reboot the server and try again

Answer: B

QUESTION: 92

You just completed repairing an HP Integrity rx2800 i2. Which iLO CLI option should use to monitor the system for errors during power-on? (Select Two.)

- A. SL live logs
- B. Console logs
- C. Virtual Front Panel
- D. Active Health View
- E. Smbiosview

Answer: A, B

QUESTION: 93

Which tool is used to update system and iLO firmware of the HP Integrity rx2800 i2 Server?

- A. EFI Image
- B. HP Offline Firmware Manager
- C. HP OS Initiated Firmware Manager
- D. HP Smart Update Manager

Answer: D

QUESTION: 94

After booting the latest version of SmartStart and starting HP Insight Diagnostics on a server that is having hardware issues, where can you check for any errors that have occurred previously on another date?

- A. Integrated Managment Log (IML)
- B. Smart Update Error Log
- C. Install Log
- D. Console Error Log

Answer: A

QUESTION: 95

A customer has a Smart Array P812 controller in a DL380 G7 server. The customer wants to move from RAID 5 to RAID 6 for increased fault tolerance. RAID 6 is not listed as an option in the ACU. What is the most likely cause? (Select Two.)

- A. The controller firmware must be upgraded
- B. The Smart Array BIOS is configured incorrectly
- C. The SAAP license key is not in ORCA
- D. The incorrect license was entered in the RBSU
- E. The Smart Array Advanced Pack must be purchased

Answer: A, B

KILL EXAMS

KILLEXAMS.COM

For More exams visit https://killexams.com -



KILLEXAMS.COM

Kill your exam at First Attempt....Guaranteed!