

# QUESTIONS & ANSWERS

Kill your exam at first Attempt



**HP**

## **HPE6-A42**

*Implementing Aruba WLAN (IAW) 8*

**QUESTION: 54**

What is the minimum space between channels in the 2.4GHz range to prevent overlap?

- A. 1 channel
- B. 3 channels
- C. 5 channels
- D. 7 channels

**Answer: C**

**QUESTION: 55**


What is a requirement for the Dashboard > Traffic Analysis window on the Aruba Mobility Master (MM) to show data?

- A. Airmatch and ClientMatch must be enabled.
- B. The solution must have active PEFNG licenses.
- C. Firewall policies must include application filtering rules.
- D. WLANs must use the decrypt-tunnel forwarding option.

**Answer: B**

**QUESTION: 56**

Refer to the exhibit.



Network administrators need to set up a WLAN that uses WPA2 encryption and authenticates users with a preshared key (PSK) that is the same for all users. Administrators do not see where they should specify the option for the preshared key. What should the administrators do?

- A. Click Personal in the slide bar.
- B. Click the + icon in the Authentication server section
- C. Return to the first page in the wizard and select the guest option
- D. Configure an L3 authentication profile after the WLAN wizard is complete

**Answer:** A

**QUESTION:** 57

A company has an Aruba Mobility Master (MM)-based solution with a WLAN that

assigns users to VLANs 10–19. The company wants the Aruba solution to act at Layer 3 to route wireless user traffic. What must network administrators configure to permit the solution to forward traffic correctly?

- A. VLAN 10–19 interfaces and proper IP settings on the MM nodes
- B. trunk ports that support VLANs 10–19 on the managed Mobility Controllers (MCs)
- C. VLAN 10–19 interfaces on the Mobility Controllers (MCs) as the default gateway for wireless users
- D. trunk ports that support VLANs 10-19 on the MM nodes

**Answer: C**

For More exams visit <https://killexams.com>



[KILLEXAMS.COM](https://killexams.com)

*Kill your exam at First Attempt....Guaranteed!*