

# QUESTIONS & ANSWERS

Kill your exam at first Attempt



CompTIA

# LX0-103

*CompTIA Linux+ [Powered by LPI]*

**Answer:** /tmp, tmp, /var/tmp, /tmp/, /var/tmp/

**QUESTION: 110**

In which directory must definition files be placed to add additional repositories to yum?

**Answer:** /etc/yum.repos.d, /etc/yum.repos.d/, yum.repos.d, yum.repos.d/

**QUESTION: 111**

What is the name of the main configuration file for GNU GRUB? (Specify the file name only without any path.)

**Answer:** menu.lst, grub.conf, grub.cfg

**QUESTION: 112**

Which option to the yum command will update the entire system? (Specify ONLY the option name without any additional parameters.)

**Answer:** update, upgrade

**QUESTION: 113**

Which command will disable swapping on a device? (Specify ONLY the command without any path or parameters.)

**Answer:** swapoff, /sbin/swapoff

**QUESTION: 114**

Which Debian package management tool asks the configuration questions for a specific already installed package just as if the package were being installed for the first time? (Specify ONLY the command without any path or parameters.)

**Answer:** dpkg-reconfigure

**QUESTION: 115**

Which signal is missing from the following command that is commonly used to instruct a daemon to reinitialize itself, including reading configuration files?

```
killall -s      daemon
```

**Answer:** HUP, SIGHUP, 1

**QUESTION: 116**

Which command displays a list of all background tasks running in the current shell? (Specify ONLY the command without any path or parameters.)

**Answer:** jobs

**QUESTION: 117**

Which Bash environment variable defines in which file the user history is stored when exiting a Bash process? (Specify ONLY the variable name.)

**Answer:** HISTFILE

**QUESTION: 118**

Which command is used in a Linux environment to create a new directory? (Specify ONLY the command without any path or parameters.)

**Answer:** mkdir, /usr/bin/mkdir

**QUESTION: 119**

Which command is used to create and initialize the files used to store quota information? (Specify ONLY the command without any path or parameters.)

**Answer:** quotacheck

**QUESTION: 120**

Which umask value will result in the default access permissions of 600 (rw-----) for files and 700 (rwx-----) for directories? (Specify only the numerical umask

value.)

**Answer:** 0077, 077



For More exams visit <https://killexams.com> -



[KILLEXAMS.COM](https://killexams.com)

*Kill your exam at First Attempt....Guaranteed!*