

QUESTIONS & ANSWERS

Kill your exam at first Attempt



Tibco

TB0-111

TIBCO Rendezvous 8

QUESTION: 122

Which two statements are correct about the RETRANSMISSION.OUTBOUND.SENT advisory message? (Choose two.)

- A. It is an indication of data loss in a network.
- B. A daemon presents this advisory to its clients.
- C. The advisory is simply informational and does not indicate an error.
- D. Subscribing to this advisory is a recommended way to monitor a network.

Answer: B, C

QUESTION: 123

TIBCO Rendezvous offers two widely used qualities of service: reliable and certified messaging. Certified messaging can be classified as a higher level of service. Which statement about the ability to communicate between two quality of services is correct?

- A. Message producer must be of equal or lower quality of service.
- B. Message producer must be of equal or higher quality of service.
- C. Message producer and message consumer can be freely mixed.
- D. Message producer and message consumer must be of the same quality of service.

Answer: C

QUESTION: 124

Multiple process instances of current value cache (RVCACHE) can cooperate for fault-tolerant service. Which three statements are correct about RVCACHE fault tolerance? (Choose three.)

- A. Only one process actively sends the current values to new listeners.
- B. The Rendezvous program queries an RVCACHE by means of its IP address.
- C. It is essential that all processes use identical parameters, except the store file.
- D. It is essential that all processes use identical parameters, including the store file.
- E. Cooperating processes listen for the same set of subjects, and store their current values.
- F. Fault-tolerant processes will actively send the current values to new listeners to share the load.

Answer: A, C, E

QUESTION: 125

Which two statements are true about the Rendezvous Daemon Manager (RVDM)?
(Choose two.)

- A. Daemons apply the subject map first, then the port map.
- B. Daemons apply the port map first, then the subject map.
- C. The primary tool for reorganizing network topology is the port map.
- D. The primary tool for reorganizing network topology is the subject map.

Answer: B, D

QUESTION: 126

Which statement is correct about multi-threaded TIBCO Rendezvous message consumers?

- A. Multi-threaded consumers require one event queue per thread.
- B. Multi-threaded message consumers are not possible with distributed queues.
- C. Multi-threaded message consumers are not possible with certified messaging.
- D. Multi-threaded consumers can be built by instantiating multiple dispatcher objects.

Answer: D

QUESTION: 127

With Rendezvous fault-tolerant groups (RVFTs), when can a fault-tolerant member with a weight value of zero become active?

- A. when the active goal is zero
- B. when no other members are available
- C. never, the weight will never become zero
- D. when the rank of that member is also zero

Answer: B

QUESTION: 128

Queue dispatch calls remove the event at the head of an event queue and runs its callback function. When the queue is empty, which dispatch call blocks indefinitely until the queue receives an event?

- A. Timed dispatch
- B. Polling dispatch
- C. Blocked dispatch
- D. Ordinary dispatch

Answer: B

QUESTION: 129

Which two statements are correct about Rendezvous PGM and Rendezvous reliable delivery (TRDP) protocols? (Choose two.)

- A. PGM and TRDP differ only in the daemon executables and the protocols.
- B. A pair of RVRDs is necessary to bridge a PGM network and TRDP network.
- C. PGM networks can directly communicate with TRDP networks without any bridges.
- D. A program developed using TRDP needs to be relinked or recompiled to use against the PGM daemon.

Answer: A, B

KILLEXAMS.COM

QUESTION: 130

The Rendezvous daemons (RVD, RVRD, RVSD and RVS RD) have been configured with the startup option "-rvdm". What does this do?

- A. specifies that Rendezvous daemons ignore data loss messages
- B. specifies that Rendezvous daemons stop on data loss messages
- C. forces Rendezvous daemons to use only transports with multicast addressing

D. specifies a control channel for Rendezvous daemons to operate as managed daemons

Answer: D

QUESTION: 131

Which two are affected by the 'complete time' parameter in a Rendezvous distributed queue (RVCMQ)? (Choose two.)

- A. the reassignment of tasks
- B. the task capacity of the scheduler
- C. the rate of worker task processing
- D. the amount of potential duplicate processing

Answer: A, D

QUESTION: 132

One pair of fault-tolerant Rendezvous routing daemons (RVRDs) are to be configured in each subnet to bridge Subnet A and Subnet B. Which three statements are correct? (Choose three.)

- A. RVRD routers and local network names should be unique throughout the network.
- B. You must enable hardware routers for multicast/broadcast routing between Subnets A and B
- C. The fault-tolerant RVRD pairs' configurations should be exactly the same except for the router name within a subnet.
- D. You must open the firewall (if any) for the TCP ports used for neighbor connections among RVRDs in Subnets A and B

Answer: A, C, D

KILLEXAMS.COM

For More exams visit <https://killexams.com>



[KILLEXAMS.COM](https://killexams.com)